UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/723,124	11/25/2003	Masaaki Takase	FUJY 20.758	9438
	7590 03/04/200 CHIN ROSENMAN LI	EXAMINER		
575 MADISON	AVENUE	COLIN, CARL G		
NEW YORK, NY 10022-2585			ART UNIT	PAPER NUMBER
			2436	
			MAIL DATE	DELIVERY MODE
			03/04/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/723,124	TAKASE ET AL.				
Office Action Summary	Examiner	Art Unit				
	CARL COLIN	2436				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 18 De	ecember 2008.					
	action is non-final.					
·—	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) <u>1-16</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrav	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-16</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examine	r.					
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s) 1) \[\sum \text{Notice of References Cited (PTO-892)} \]	4) ☐ Interview Summary	(PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	ite					
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informal P 6) Other:	atent Application				

Art Unit: 2436

DETAILED ACTION

Response to Arguments

- 1. In communications filed on 12/18/2008, Applicant amends claims 1-16. The following claims 1-16 are presented for examination.
- 1.1 In response to communications filed on 12/18/2008, claim objection and the 112th rejection have been withdrawn with respect to the amendment.
- 1.2 Applicant's arguments, pages 9-10, filed on 12/18/2008 have been fully considered but they are not persuasive. With regard to claim 1, Applicant states that Anzai does not teach a decryption unit decrypting data by use of the most-updated encryption key which is set by the second setting unit if the data is encrypted by the most-updated encryption key and the decryption unit decrypting the data by use of the one-generation-anterior encryption key which is set by the second setting unit if the data is encrypted by the one-generation-anterior encryption key. Examiner respectfully disagrees as Anzai discloses common key cryptography used for encryption/decryption (see page 1, paragraph 1 and page 2, paragraph 17) and Anzai also discloses the receiving station decrypting an encrypted reserve key using a decode key (for receipt) and the reserve key now is set as the new decode key which decrypts encryption data (for receipt) (see paragraphs 20-21 and 23-24) that meets the recitation of a decryption unit decrypting data by use of the most-updated encryption key which is set by the second setting unit if the data is encrypted by the most-updated encryption key and the decryption unit decrypting

Art Unit: 2436

the data by use of the one-generation-anterior encryption key which is set by the second setting unit if the data is encrypted by the one-generation-anterior encryption key as amended.

Upon further consideration, applicant has not overcome the rejection of claim 1 and the claims remain rejected in view of Anzai.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-11 and 14-16 are rejected under 35 U.S.C. 102(b) as being anticipated by Japanese Patent Publication 11-196081 published on (July 21, 1999) to Anzai.

As per claim 1, **Anzai** discloses in a system for performing encryption communications using a common key updated at a predetermined timing between a key transmitting device and a key receiving device, a common key encryption communication system comprising: *a key transmitting device* (sending station) *including first retaining unit* (storage means in sending station) *retaining a most-updated encryption key* (reserve key or new key) *and a one-generation-anterior encryption key* (cryptographic key) *as the above common keys* (see page 4, paragraph 23), and **Anzai** discloses means for using the cryptographic key (one-generation-anterior

Application/Control Number: 10/723,124

Page 4

Art Unit: 2436

encryption key) for encrypting data for delivery or transmission that meets the recitation of a first setting unit setting the one-generation-anterior encryption key for transmission (see page 3, paragraph 20). Anzai also discloses common key cryptography used for encryption/decryption (see page 1, paragraph 1 and page 2, paragraph 17) and further discloses (page 2, paragraph 24 and claim 2) that the sending station has means for decrypting encryption data from the receiving station using the cryptography key; the reserve key is also used for encryption/decryption because after updating, the reserve key is made into a new key (see page 3, paragraph 20) that meets the recitation of setting the most-updated encryption key (reserve key or new key) and the one-generation-anterior encryption key (cryptographic key) for receipt; and a key receiving device (receiving station) including a second retaining unit (storage means in receiving station) retaining the most-updated encryption key (reserve key) and the one-generation-anterior encryption key (previous decode key) as the common keys, (see page 4, paragraph 23); and Anzai discloses common key cryptography used for encryption/decryption (see page 1, paragraph 1 page 4, paragraph 23), Anzai also discloses means for using the reserve key (mostupdated encryption key) as a new decode key and the decode key may be used for encrypting data for delivery or transmission that meets the recitation of second setting unit setting the mostupdated encryption key for transmission (see page 4, paragraphs 23-24), Anzai further discloses (page 4, paragraph 24 and claim 2) that the receiving station has means for decrypting encryption data from the sending station using the decode key; the reserve key is also used for encryption/decryption because after updating, the reserve key is made into a new decode key (see page 3, paragraph 23) that meets the recitation of the most-updated encryption key and the one-generation-anterior key for receipt and a decryption unit decrypting data by use of the most-

Art Unit: 2436

updated encryption key which is set by the second setting unit if the data is encrypted by the most-updated encryption key and the decryption unit decrypting the data by use of the one-generation-anterior encryption key which is set by the second setting unit if the data is encrypted by the one-generation-anterior encryption key.

As per claim 2, **Anzai** discloses updating and storing the cryptographic key making the reserve key becoming a new cryptographic key and further discloses a reserve key acquired becomes the new reserve key (see page 8, paragraphs 58-62) that meets the recitation of wherein the key transmitting device further includes an acquisition unit acquiring a first encryption key, the first retaining unit updates and retains the most-updated encryption key (reserve key) as the one-generation-anterior encryption key and the first retaining unit updates and retains the first encryption key acquired by the acquisition unit as the most-updated encryption key, and further discloses the keys after updating are set for transmission and receipt in the sending station as explained in the rejection of claim 1 above (see pages 3-4, paragraphs 22-24) that meets the recitation of the first setting unit re-sets the one-generation-anterior encryption key for transmission with the one-generation-anterior encryption key retained by the first retaining unit, and the first setting unit re-sets the most-updated encryption key and the one-generation-anterior encryption key for receipt with the one-generation-anterior encryption key retained by the first retaining unit.

As per claim 3, **Anzai** discloses the limitation of wherein the key transmitting device includes a generation unit generating the first encryption key, and the acquisition unit acquires the encryption key generated by the above generation unit (see page 8, paragraphs 60-61).

As per claim 4, **Anzai** discloses the limitation of wherein the key transmitting device further includes a first transmitting unit transmitting the first encryption key acquired by the acquisition unit to the key receiving device (see page 8, paragraphs 62-63).

As per claim 5, **Anzai** discloses wherein the key receiving device further includes a second receiving unit receiving the first encryption key transmitted from the key transmitting device (see page 8, paragraphs 70-71), **Anzai** discloses updating and storing the reserve key making the reserve key becoming a new decode key and further discloses a reserve key acquired becomes the new reserve key into a new reserve key (see page 8, paragraphs 70-73) that meets the recitation of *in case the second receiving unit receives the first encryption key, the second retaining unit updates and retains the most-updated encryption key as the one-generation-anterior encryption key and updates and retains the first encryption key received by the second receiving unit as the most-updated encryption key, and further discloses the keys after updating are set for transmission and receipt in the receiving station as explained in the rejection of claim 1 above (see pages 3-4, paragraphs 22-24) that meets the recitation of the second setting unit resets the most-updated encryption key for transmission with the most-updated encryption key retained by the second retaining unit, and re-sets the most-updated encryption key and the one-*

Art Unit: 2436

generation-anterior encryption key for receipt with the most-updated encryption key and the onegeneration-anterior encryption key retained by the second retaining unit, respectively.

As per claim 6, **Anzai** discloses the limitation of wherein the key receiving device includes a second transmitting unit transmitting a predetermined message to the key transmitting device, and the key transmitting device includes first receiving unit receiving the predetermined message transmitted from the above key receiving device (see page 4, paragraph 24).

As per claim 7, **Anzai** discloses the limitation of wherein the first retaining unit and the second retaining unit retain an initialization key (see page 8, paragraphs 58 and 68 and see page 9, paragraphs 78 and 85).

As per claim 8, **Anzai** discloses combining the conventional system with the invention, the conventional system wherein an updating demand is performed to update from the receiving station to the sending station (see pages 1-2, paragraphs 3 and 9) that meets the recitation of wherein the key receiving device transmits a key initialization request message as the predetermined message at a predetermined timing, in case the key transmitting device receives the key initialization request message transmitted from the key receiving device; and **Anzai** further discloses the acquisition unit acquires a second encryption key, and the first retaining unit updates and retains the common initialization key as the one-generation-anterior encryption key and updates and retains the second encryption key acquired by the acquisition unit as the most-updated encryption key (see page 8, paragraphs 58-62).

Art Unit: 2436

As per claim 9, **Anzai** discloses combining the conventional system with the invention, the conventional system wherein an updating demand is performed to update from the receiving station to the sending station (see pages 1-2, paragraphs 3 and 9) that meets the recitation of wherein the key receiving device transmits a key update request message as the above predetermined message at a predetermined timing, in case the key transmitting device receives a key update request message transmitted from the above key receiving device; and **Anzai** further discloses the acquisition unit is used to acquires a third encryption key, and the first retaining unit respectively updates and retains the common initialization key as the one-generation-anterior encryption key and updates and retains the third encryption key acquired by the acquisition unit as the most-updated encryption key (see page 8, paragraphs 70-73).

As per claim 10, **Anzai** discloses wherein the key receiving device includes unit determining a key update timing (see claim 4), and said second transmitting unit transmitting a predetermined message to the key transmitting device, (see page 4, paragraph 24), in the case of reaching the key update timing, transmits the key update request message to the key transmitting device (see page 1, paragraph 3).

As per claim 11, **Anzai** discloses wherein the key transmitting device includes adetermining unit determining a key update timing, and the first transmitting unit, in the case of reaching the key update timing, transmits the first encryption key acquired by the acquisition unit to the key receiving device (see page 8, paragraphs 56-59).

Art Unit: 2436

As per claim 14, **Anzai** discloses in a key transmitting device performing encryption communications using a common key updated at a predetermined timing with a key receiving device, a key transmitting device comprising retaining unit (storage means in sending station) retaining a most-updated encryption key (reserve key or new key) and a one-generation-anterior encryption key (cryptographic key) as the common keys (see page 4, paragraph 23), and Anzai discloses means for using the cryptographic key (one-generation-anterior encryption key) for encrypting data for delivery or transmission that meets the recitation of setting unit setting a onegeneration-anterior encryption key for transmission (see page 3, paragraph 20). Anzai also discloses common key cryptography used for encryption/decryption (see page 1, paragraph 1 and page 2, paragraph 17) and further discloses (page 2, paragraph 24 and claim 2) that the sending station has means for decrypting encryption data from the receiving station using the cryptography key; the reserve key is also used for encryption/decryption because after updating, the reserve key is made into a new key (see page 3, paragraph 20) that meets the recitation of setting a most-updated encryption key (reserve key or new key) and a one-generation-anterior encryption key (cryptographic key) for receipt and a decryption unit decrypting data by use of the most-updated encryption key which is set by the second setting unit if the data is encrypted by the most-updated encryption key and the decryption unit decrypting the data by use of the onegeneration-anterior encryption key which is set by the second setting unit if the data is encrypted by the one-generation-anterior encryption key.

Art Unit: 2436

As per claim 15, **Anzai** discloses in a key receiving device performing encryption communications using a common key updated at a predetermined timing with a key transmitting device, a key receiving device comprising a retaining unit (storage means in receiving station) retaining a most-updated encryption key (reserve key) and a one-generation-anterior encryption key (previous decode key) as the common keys, (see page 4, paragraph 23); and Anzai discloses common key cryptography used for encryption/decryption (see page 1, paragraph 1 page 4, paragraph 23), Anzai also discloses means for using the reserve key (most-updated encryption key) as a new decode key and the decode key may be used for encrypting data for delivery or transmission that meets the recitation of setting unit setting a most-updated encryption key for transmission (see page 4, paragraphs 23-24), Anzai further discloses (page 4, paragraph 24 and claim 2) that the receiving station has means for decrypting encryption data from the sending station using the decode key; the reserve key is also used for encryption/decryption because after updating, the reserve key is made into a new decode key (see page 3, paragraph 23) that meets the recitation of setting a most-updated encryption key and a one-generation-anterior key for receipt, respectively and a decryption unit decrypting data by use of the most-updated encryption key which is set by the second setting unit if the data is encrypted by the most-updated encryption key and the decryption unit decrypting the data by use of the one-generation-anterior encryption key which is set by the second setting unit if the data is encrypted by the one-generation-anterior encryption key.

As per claim 16, **Anzai** discloses in a method of performing encryption communications using a common key updated at a predetermined timing between a key transmitting device and a

Art Unit: 2436

key receiving device, a common key encryption communication method characterized in that the key transmitting device (sending station) retains a most-updated encryption key (reserve key or new key) and a one-generation-anterior encryption key (cryptographic key) as the common keys, (see page 4, paragraph 23), and Anzai discloses means for using the cryptographic key (onegeneration-anterior encryption key) for encrypting data for delivery or transmission. Anzai also discloses common key cryptography used for encryption/decryption (see page 1, paragraph 1 and page 2, paragraph 17) that meets the recitation of sets the one-generation-anterior encryption key for transmission and for receipt, and the above key receiving device (receiving station) retains the most-updated encryption key (reserve key) and the one-generation-anterior encryption key (previous decode key) as the common keys, (see page 4, paragraph 23); and Anzai discloses common key cryptography used for encryption/decryption (see page 1, paragraph 1 page 4, paragraph 23), Anzai also discloses means for using the reserve key (most-updated encryption key) as a new decode key and the decode key may be used for encrypting data for delivery or transmission that meets the recitation of and sets the most-updated encryption key for transmission (see page 4, paragraphs 23-24), Anzai further discloses (page 4, paragraph 24 and claim 2) that the receiving station has means for decrypting encryption data from the sending station using the decode key; the reserve key is also used for encryption/decryption because after updating, the reserve key is made into a new decode key (see page 3, paragraph 23) that meets the recitation of sets a most-updated encryption key and a one-generation-anterior key for receipt and a decryption unit decrypting data by use of the most-updated encryption key which is set by the second setting unit if the data is encrypted by the most-updated encryption key and the decryption unit decrypting the data by use of the one-generation-anterior encryption key which

Page 11

is set by the second setting unit if the data is encrypted by the one-generation-anterior encryption key.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Japanese Patent Publication 11-196081 published on (July 21, 1999) to Anzai in view of US Patent 7,024,553 to Morimoto.

As per claim 12, **Anzai** substantially teaches the claimed system of claim 4. **Anzai** further discloses in drawing 4 in combination with paragraphs 65-67, restarting the process wherein received data have been sent as an input if not equal. **Anzai** is silent about the request is resent to the transmitting device. It is apparent that received data may have been sent (paragraph 65) as an updating demand by the receiving device as suggested in paragraph 3. **Morimoto** in an

Art Unit: 2436

analogous art teaches key request message between two devices for authentication purpose (see column 10, lines 45-56) and further discloses key resending request message at a predetermined timing to provide for compatibility of high management performance and high information confidentiality (see column 12, lines 4-44) (see also column 14, lines 5-12 and figure 5).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of **Anzai** to include key notification message as taught by **Morimoto** so as to verify the party making the request and key synchronization can take place when there is lack of coincidence (see **Morimoto** column 13, lines 24-37).

4. **Claim 13** is rejected under 35 U.S.C. 103(a) as being unpatentable over Japanese Patent Publication 11-196081 published on (July 21, 1999) to **Anzai**.

As per claim 13, **Anzai** substantially teaches the claimed system of claim 4. **Anzai** also discloses initialization value to update keys (see paragraph 78). **Anzai** discloses discarding the previous key (see paragraphs 80 and 82), but is silent about retaining none of the keys. It is a well-known practice in the art that keys may be discarded after use to prevent tampering. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of **Anzai** to retain none of the keys because updating would be able to perform from initialization key value while none of the keys would be retained to prevent tampering.

Art Unit: 2436

Conclusion

5. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

5.1 Any inquiry concerning this communication or earlier communications from the examiner should be directed to CARL COLIN whose telephone number is (571)272-3862. The examiner can normally be reached on Monday through Thursday, 8:00-6:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nasser G. Moazzami can be reached on 571-272-4195. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2436

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Carl Colin/

Primary Examiner, Art Unit 2436

March 1, 2009